

206080" 4ST9800T



COPY OF PAPERS  
ORIGINALLY FILED

1/18

LAMOTRIGINE FORM B




FIG. 1

206080" 45T9800T



COPY OF PAPERS  
ORIGINALLY FILED

2/18

LAMOTRIGINE FORM C STEP: 0.050° CNT TIME: 1.000 SEC.  
RANGE: 2.00 - 40.00 (DEG) CONT. SCAN RATE: 3.00 DEG/MIN.




FIG. 2



COPY OF PAPERS  
ORIGINALLY FILED

3/18

206080"AST98001

# LAMOTRIGINE FORM D





FIG. 3



COPY OF PAPERS  
ORIGINALLY FILED

4/18

206080" 25T9800T





COPY OF PAPERS  
ORIGINALLY FILED

5/18

206080" 45T98001




FIG. 5




COPY OF PAPERS  
ORIGINALLY FILED

6/18

206080" 2519800T

LAMOTRIGINE FORM F



206080" 25T9800T



COPY OF FILING  
ORIGINALLY FILED

7/18




FIG. 7


[°2θ]

206080" 2519800T



COPY OF PAPER  
ORIGINALLY FILED

8/18






206080" 2ST9800T



COPY OF PAGES  
ORIGINALLY FILED

9/18





COPY OF PAPERS  
ORIGINAL FILED

10/18

206080" 25F98001

LAMOTRIGINE FORM L




FIG. 10



11/18

206080" JST98001





FIG. 11



12/18

206080" 25T9800T



206080" 25T3B00T



13/18





FIG. 13

206080" 25198001



14/18





15/18

206080" 25F98001

LAMOTRIGINE FORM Q




FIG. 15



16/18

206080" 25F98001

LAMOTRIGINE FORM R




FIG. 16



206080" 45198001



17/18

LAMOTRIGINE FORM S




FIG. 17

206080" 25F9800F



18/18

LAMOTRIGINE FORM U

